

# **QUALITY YOU CAN TAKE FOR GRANTED**

Duropal worktops are the perfect alternative to acrylic based, granite and stone worktops at a fraction of the price. Our comprehensive selection of decors offers opportunities from the most modern applications to the more traditional. 61 exciting decors – 43 in the unique Quadra profile and 18 in the popular Classic profile.

With Duropal you're covered from all directions ...

### **CLASSIC PROFILE**



The Duropal Classic profile, longestablished and highly-regarded as a consistent performer, is available in this collection in 18 colourways.

- 6 mm radius

### **QUADRA PROFILE**



The Duropal Quadra profile, fashionable yet tried and tested, offers you unique product features and is available in this collection in 43 colourways.

- 3 mm radius

### **SPECIAL SEAL**



All Duropal worktops with both Classic and Quadra profiles come with a unique seal designed to ensure a lifetime of protection against moisture and steam.

### **HPL SURFACE**

Duropal worktops are surfaced with genuine high-pressure laminate guaranteed to BS/EN 438; hardwearing and easy to clean.

### GLUELINE

Guaranteed moisture and heat resistant to BS/EN 204.

### POSTFORMED EDGE

The profiled front edge of Duropal worktops is designed to prevent liquid spills finding their way into drawers and cupboards.

### **CERTIFIED TO THE HIGHEST STANDARDS**

As a large consumer of chipboard, we ensure that all our material carries the PEFC certification, guaranteeing that it comes from properly environmentally managed and sustainable sources. We have also achieved independent PEFC accreditation to provide surety for 'chain of custody'.






## **DUROPAL WORKTOPS** — HIGHLY RESISTANT TO...\*

Melamine resin is the hardest of all synthetically produced organic materials. This is the reason for the high scratch and wear resistance of Duropal–HPL. The high impact resistance of the material is due to the elasticity of phenolic resin. These properties also explain the high resistance of HPL to chemicals and heat. Burning a cigarette on the surface of HPL is one of the quality tests specified in BS/EN 438, which also determines all the other qualities important for the user. However, the bottoms of saucepans and ovenware can become extremely hot and we recommend using a protective pad.

\* Conforming to BS/EN 438







## **CLEANING AND CARE INSTRUCTIONS**

### There's nothing easier than cleaning and caring for Duropal Worktops.

A major advantage of Duropal Worktops is that the HPL surface makes cleaning so simple. Usually a moist cloth is sufficient, but use washing-up liquid to get rid of any grease. Stubborn dirt can be removed with an organic solvent such as methylated spirits or alcohol. Brushes with hard bristles (but not wire brushes) may also be used.

Light stains/dirt	Cleaning method
	dry or damp paper towels, a cloth or sponge
Normal stains/dirt	Cleaning method
e.g. fat, oil and dirt particles, fingermarks, lime deposits, rust, juice, coffee, tea, wax, blood, universal marker, etc.	cloth or soft nylon brush and washing powder, soft soap, toilet soap or washing-up liquid. If necessary, leave for a while and then rinse thoroughly with clean water.
Heavy stains/dirt	Cleaning method
e.g. discolouration through long exposure to tea, coffee, fruit juice, etc.	with washing powder or household bleach (but do not repeat too often)
e.g. lead pencil, felt-tip pens, marker and ball-point pens, lipstick, crayons, wax, shoe polish, nicotine, nail varnish.	with an organic solvent such as acetone (nail varnish remover), methylated spirits, petroleum spirit, perchloroethene. Read the manufacturer's instructions carefully!
e.g. paint (water or solvent based paints, two-component paints, spray paints), varnish stains, printing ink	with water or an organic solvent. Remove two-component paints immediately.
e.g. adhesives (water-based, dispersion)	with water or organic solvent
e.g. two-component adhesives, urea resin, melamine, phenolic resin	remove immediately. Do not allow to harden!

Please do not cut or chop directly on the worktop surface – always use a chopping board or worktop saver.

Always place hot pans, ovenware and irons on a trivet or protective pad to protect the surface from the intense heat which can cause damage to the worktop if placed directly on the surface. The use of abrasive cleaners and pads, corrosive or aggressive cleaning agents should be avoided as they will have a detrimental effect on the worktop surface.

The use of PVC aprons may possibly affect the durability of the HPL on the post-formed edge of worktops. This could lead to premature wear in high traffic work areas such as in front of the sink and hob.

Kettles, coffee machines, fryers and any other heat or damp source should not be positioned directly over worktop joints. Constant changes in temperature could cause the joint to move and eventually fail.

Cuts and scratches will be noticeable on dark decors and gloss finishes.

## **HPL MDF BACK PANELS**



suitability and distance requirements are met.

## **HPL UPSTANDS**





chipboard core and available to match all 61 decors in the following size:

4,100 x 120 x 19 mm nominal,

3 mm postformed radius

\* Whilst our Duropal hpl upstands are produced using P3 moisture-resistant chipboard, please ensure that due care is taken to correctly seal the product to prevent moisture ingress.










24-HOUR SERVICE

Phone 01625 660 410 Sample Line 01625 660 411 Fax 01625 617 301

Samples available round the clock  $% \label{eq:clock} % \label{eq:clo$ 





# CRYSTAL STONE COLLECTION







R 6462 CT



R 6482 CT



R 6483 CT



Ipanema White R 6265 CT



R 6451 CT



Tuscan Granite R 6484 CT



Ipanema Grey R 6267 CT



F 7654 CT



Quartz Stone F 7655 CT

# **AVAILABILITY CHART**

Decor no.	Decor name		HPL MDF back panels	HPL upstands	Decor no.	Decor name		HPL MDF back panels	HPL upstands
U 1026 MS	Crystal White	Quadra	-	-	R 6442 TC	Jura Marble	Quadra	-	-
R 4101 VV	Natural Oak Block	Quadra	-	-	R 6451 CT	Santorini	Quadra	-	-
R 4210 VV	Harvard Oak Block	Quadra	-	-	R 6457 VV	Brown Sahara	Quadra	-	-
R 4282 FG	Chapel Oak	Quadra	-	-	R 6460 MS	Desert Sand	Quadra	-	-
R 4371 FG	Dark Mountain Oak	Quadra	-	-	R 6461 CT	Natural Messina	Quadra	-	-
R 5151 VV	Block Walnut	Quadra	-	-	R 6462 CT	Antique Messina	Quadra	-	-
R 5320 TR	White Beech	Classic		-	R 6465 TC	Venetian Granite	Quadra	•	-
R 5336 VV	White Beech Parquet	Classic		-	R 6479 TC	Pumice	Quadra	•	-
R 5612 RU	Clay Sangha Wenge	Quadra	-	-	R 6480 MS	Glacial Storm	Quadra	•	-
R 5613 RU	Natural Sangha Wenge	Quadra	-	-	R 6482 CT	Taurus Sand	Quadra	-	-
R 5638 VV	Plum Butcherblock	Quadra	-	-	R 6483 CT	Taurus Stone	Quadra	-	-
R 5804 VV	Mocha Bamboo	Quadra	-	-	R 6484 HS	Tuscan Granite (Gloss)	Classic		-
R 5807 VV	Ikebana Wood	Quadra	-	-	R 6484 CT	Tuscan Granite	Quadra	-	-
R 5989 VV	Woodmix Block	Quadra	-	-	R 6487 PF	Welsh Slate	Quadra	-	-
R 6050 FG	Grey Ottawa	Quadra	-	-	R 6497 MS	Trasimeno Basalt	Quadra	-	-
R 6052 FG	Brown Ottawa	Quadra	-	-	R 6499 HS	Roma Marble (Gloss)	Quadra	-	-
R 6059 FG	Cream Belmont	Quadra	-	-	R 6507 MS	Dune	Quadra	•	-
R 6061 FG	Brown Belmont	Quadra	-	-	F 7407 HS	Star Black (Gloss)	Classic		-
R 6211 TC	Caldera Marble	Classic		-	F 7407 TC	Star Black	Quadra	-	-
R 6213 TC	Crystal Black	Classic		-	F 7515 TC	Green-Black-Copper Neuzeit Stone	Classic		-
R 6216 HS	Black Brazil (Gloss)	Classic		-	F 7646 TC	Anthracite Peru	Classic		-
R 6216 TC	Black Brazil	Classic		-	F 7654 CT	Flash Black	Quadra	•	•
R 6254 TC	Light Marble	Classic		-	F 7655 CT	Quartz Stone	Quadra	-	-
R 6265 CT	Ipanema White	Quadra	-	-	F 7684 TC	Dark Anthracite Fino	Classic		-
R 6267 CT	Ipanema Grey	Quadra	-	-	F 7919 TC	Corn	Classic	-	-
R 6277 HS	Sienna Granite (Gloss)	Quadra	-	-	F 8110 VV	Brushed Aluminium	Quadra	-	•
R 6277 TC	Sienna Granite	Quadra	-		F 8194 PF	Black Myriade	Classic	-	
R 6284 TC	Belluno Granite	Classic	-	-	F 8331 PF	Beige Orion	Quadra	-	•
R 6352 TC	Mirabelle Corro	Classic	-	-	F 8345 HS	Astral Quartz (Gloss)	Quadra	-	•
R 6423 TC	Grey Limestone	Classic	•	-	F 8345 TC	Astral Quartz	Quadra	-	
R 6424 TC	Black Limestone	Classic		-					
					M 9510 SM	Brushed Aluminium – Back Panel On	ly	•	



## **TECHNICAL DETAILS**

### **WORKTOPS**

Length	Thickness	Width
4,100 mm	40 mm	600 mm postformed one long edge
4,100 mm	40 mm	670 mm postformed both long edges
4,100 mm	40 mm	900 mm postformed both long edges

### **HPL MDF BACK PANELS**

Length	Thickness	Width
4,100 mm	9.2 mm nominal	640 mm
2,050 mm	9.2 mm nominal	1,300 mm
4,100 mm	9.6 mm nominal (M 9510 SM)	640 mm
2,050 mm	9.6 mm nominal (M 9510 SM)	1,300 mm

### **HPL UPSTANDS**

Length	Thickness	Width
4,100 mm	19 mm nominal	120 mm

## **SURFACE TEXTURES**



Enhanced Semi Matt

MS

This surface is distinguished by its pleasantly natural feel.



Trevista

TR

Strong, directional wooden pores. For horizontal and vertical applications.



Top Face

TC

Universally applicable neutral and ideal surface. TC is a classic for worktops as this surface is particulary resistant to fingerprints.



Top Velvet

٧V

Elegantly matt, smooth and fine structure, sensitive design. Recommended for horizontal and vertical applications.



Perfect Finish

PF

Ultra-fine nondirectional structure. Refractive light effect. For both horizontal and vertical applications.



Fine Grain

FG

Fine Grain has a fine texture and evokes an association with ceramics and stoneware. Wood becomes tangible, gets a softer feel and a natural impression. The visual matt appearance is supported by its tactile appeal.



Rustica

RU

Looks and feels like brushed wood with a gloss-matt effect. It addresses the current trend for strong and distinctive surfaces. The surface texture is parallel without pronounced wood figures, knots, etc.



**Enhanced High Gloss** 

HS

HS is a fashionable yet enhanced performance gloss finish designed to both complement the effect of the decor and provide improved abrasion resistance when compared to standard gloss finishes. All gloss surface finishes will scratch and will also show scratches more easily. Additional care should be taken accordingly in both installation and use.



Crystal Stone

СТ

CT is a surface texture especially suitable for stone reproduction decors. Whilst offering both the feel and optical effect of a natural stone surface, the product retains the usual high performance characteristics of a Duropal worktop.



## 24-HOUR SERVICE

Samples available round the clock

Phone 01625 660 410 Sample Line 01625 660 411 Fax 01625 617 301

# Remember to use our 24-hour A5 sample service

Only original samples can give a realistic impression of colours, designs and surface finishes.

It is recommended that you ask to see actual samples prior to making your final selection.

### WWW.DUROPAL.CO.UK

Your Duropal supplier

### **PFLEIDERER INDUSTRIE LIMITED**

Oakfield House Springwood Way Tytherington Business Parl Macclesfield Cheshire SK10 2XA

hone 01625 660 410 ample Line 01625 660 411 ax 01625 617 301

www.duropal.co.uk info@pfleiderer.co.uk