

# Amazing what a floor can do

*Sales Organiser 2008*



[www.quick-step.com](http://www.quick-step.com)

# PRODUCT INNOVATIONS

## LINESSE



## QUICK·STEP® LINESSE

The collection of Linesse floors is without a doubt the most important innovation within the Quick-Step® range for 2008. Its innovative and exceptional character are based on the new, revolutionary Unilink installation system.

Thanks to this technology, the transverse seams which are normally produced with traditional three-strip parquet are avoided.

The USPs of this unique installation system are:

### 1/ Easy and quick to install

With Unilink, 3 small floor strips are attached to the same underfloor panel and this results in a faster and an easier installation of the floor.

### 2/ A perfectly natural parquet look

The 3 floor strips can be moved in relation to one another. This produces a perfectly natural look of solid parquet, without two joints ever ending in the same place.

### 3/ Solid sound

The pre-mounted underfloor panel, which is 3.5 mm thick, has been specially developed to absorb the transit sound in the room. The thickness of the underfloor panel guarantees a more natural and solid stepping sound.

The brand-new Linesse range is available in 8 top designs with a few surprising surface structures. A varied range of contemporary colour and wood designs is available and can be combined perfectly with the latest interior styles.

## ARTE




## QUICK·STEP® ARTE

### One range, two styles

Today, concrete is often used as a floor covering for private construction. To meet this emerging market, Quick-Step® is expanding its Arte range with two new designs: the polished concrete tile in natural colour and the polished concrete tile in dark colour.

Besides these developments, Quick-Step® is also launching a new white oiled Versailles tile.

UF 1247



UF 1248



## LAGUNE



## QUICK·STEP® LAGUNE

In creating the Lagune collection mid 2007, Quick-Step® has launched its first range of designs for damp rooms, e.g. bathrooms.

Taking into account the ever-changing and advanced requirements and tastes of the consumer, Quick-Step® is extending this range with 3 new shipdeck floor designs.

The new designs are: Black varnished Pallisander, Vintage oak dark varnished and natural varnished oak shipdeck floor.

The Lagune range has 25 years warranty and 10 years water warranty\* on domestic use.

\* Only if original Quick-Step® Seal&Click Sealant is used. See installation instructions and warranty conditions.  
Unsuited for saunas and walk-in showers.

# PRODUCT INNOVATIONS


## CLASSIC



## QUICK·STEP® CLASSIC

To enhance the authentic appearance of the Classic range even further, Quick-Step® developed a 4th generation surface structure. Thanks to this new technique, the dust line is reproduced even more realistically and the natural look of classic strip parquet is imitated perfectly.

The new technique consists of applying the height differences between the strips on a single Classic plan, which in comparison with the previously printed dust line, has a much more natural look.



## PERSPECTIVE

## ELIGNA



## QUICK·STEP® PERSPECTIVE® AND ELIGNA

The Perspective® and Eligna collections are complemented with a unique wood design, Pitch Pine, which is available in two versions.

The dark and white brushed pin planks are very attractive due to the weathered and exclusive character. A top product that meets the demands of the latest trend for authenticity in contemporary interiors.

Pitch Pine is a protected wood variety that is practically no longer available and consequently is unaffordable for most consumers. Quick-Step® has once again succeeded in bringing expensive and rare wood varieties to the market at an attractive price.

## QUICK·STEP® ACCESSORIES

Besides an extensive range of laminate floors, Quick-Step® also has many accessories and installation material. Some new products will also be introduced in 2008:

### 1/ Unisound Combifloor pro

To complement the existing sound-absorbing underfloor, Quick-Step® is launching a new underfloor which reduces reflection sound even better than before. 1 roll = 10 m<sup>2</sup>

### 2/ Double-sided damp-proof PE foil with reinforcement

This armoured damp-proof membrane can only be used under the Uni Softboard or under the Quick-Step® floors in the Linesse range.

### 3/ Incizo® is now available in metal

The revolutionary Incizo® profile is now also available in a metal version. The included handle makes it easy to break off the excess profile. The rest of the profile is strengthened with a reinforcement piece.

### 4/ Paintable skirting board with Incizo® technology

The paintable skirting board is made of waterproof MDF which is covered with a foil that can easily be painted in the same colour as the walls.



# MAJESTIC

950 UNICLIC PATENTED TECHNOLOGY



- 1 pallet = 60 boxes = 90,156 m<sup>2</sup>/pallet = 970.44 sq.ft./pallet
- 12 different planks per decor
- decors printed in 4 colours
- max. edge swelling according to EN 13329: ≤ 8%

## Quick-Step® Majestic

1.5026 m<sup>2</sup> 1376 x 156 x 9,5 mm  
16.1740 sq.ft. 54<sup>9</sup>/<sub>16</sub>" x 6<sup>1</sup>/<sub>8</sub>" x 3<sup>7</sup>/<sub>8</sub>"



Class 33 (EN 13329)

|          |                                      |
|----------|--------------------------------------|
| MAJ 860  | Harvest oak planks                   |
| MAJ 861  | Antique oak planks                   |
| MAJ 862  | Natural varnished maple planks       |
| MAJ 865  | Dark varnished cherry planks         |
| MAJ 866  | Varnished beech planks               |
| MAJ 896  | Natural varnished oak planks         |
| MAJ 915  | White varnished oak planks           |
| MAJ 995  | Vintage oak natural varnished planks |
| MAJ 996  | Merbau planks                        |
| MAJ 1001 | Vintage oak dark varnished planks    |



# LAGUNE

800 UNICLIC PATENTED TECHNOLOGY



- 1 pallet = 63 boxes = 104,3 m<sup>2</sup>/pallet = 1,112.6852 sq.ft./pallet
- 18 different planks per decor
- decors printed in 4 colours
- max. edge swelling according to EN 13329: ≤ 8%


## Quick-Step® Lagune

1.6532 m<sup>2</sup> 1380,5 x 99,8 x 8 mm  
17.8250 sq.ft. 54<sup>11</sup>/<sub>32</sub>" x 4" x 5<sup>15</sup>/<sub>16</sub>"



Class 32 (EN 13329)

|                 |                                       |
|-----------------|---------------------------------------|
| <b>SHIPDECK</b> |                                       |
| UR 946          | Natural varnished oak, shipdeck       |
| UR 1032         | Merbau, shipdeck                      |
| UR 1035         | Vintage oak dark varnished, shipdeck  |
| UR 1205         | Grey Teak, shipdeck                   |
| UR 1225         | Black varnished palissander, shipdeck |



# ARTE

950 UNICLIC PATENTED TECHNOLOGY



- 1 pallet = 42 boxes = 65,415 m<sup>2</sup>/pallet = 704.13 sq.ft./pallet
- UF 1155 - UF 1156 - UF 1248: 4 different tiles per decor
- UF 1246 - UF 1247: infinite number of different tiles per decor
- decors printed in 4 colours
- max. edge swelling according to EN 13329: ≤ 8%

## Quick-Step® Arte

1.5575 m<sup>2</sup> 624 x 624 x 9,5 mm  
16.7650 sq.ft. 24<sup>9</sup>/<sub>16</sub>" x 24<sup>9</sup>/<sub>16</sub>" x 3<sup>7</sup>/<sub>8</sub>"



Class 32 (EN 13329) (\*)

|                     |                        |
|---------------------|------------------------|
| <b>WOOD DESIGNS</b> |                        |
| UF 1155             | Versailles light       |
| UF 1156             | Versailles dark        |
| UF 1248             | Versailles white oiled |

|                      |                           |
|----------------------|---------------------------|
| <b>STONE DESIGNS</b> |                           |
| UF 1246              | Polished concrete natural |
| UF 1247              | Polished concrete dark    |



(\*) UF 1155 - UF 1156 - UF 1248: these products have been produced using class 32 technology and components. Some of the EN 13329 test methods are not fully applicable. For more information: [www.quick-step.com](http://www.quick-step.com)

# QUADRA

800 UNICLIC PATENTED TECHNOLOGY



- TU = 1 pallet = 60 boxes = 93,144 m<sup>2</sup>/pallet = 1,002.6 sq.ft./pallet
- UF = 1 pallet = 60 boxes = 94,09 m<sup>2</sup>/pallet = 1,012.77 sq.ft./pallet
- 9 different tiles per decor\*
- decors printed in 4-5 colours
- max. edge swelling according to EN 13329: ≤ 8%

## Quick-Step® Quadra

UF  
1.5682 m<sup>2</sup> 396 x 396 x 8 mm  
16.8801 sq.ft. 15<sup>9</sup>/<sub>32</sub>" x 15<sup>9</sup>/<sub>32</sub>" x 5<sup>15</sup>/<sub>16</sub>"

TU


1.5524 m<sup>2</sup> 394 x 394 x 8 mm  
16.7100 sq.ft. 15<sup>1</sup>/<sub>32</sub>" x 15<sup>1</sup>/<sub>32</sub>" x 5<sup>15</sup>/<sub>16</sub>"



Class 32 (EN 13329)

|                               |          |
|-------------------------------|----------|
| <b>CERAMIC LAMINATE TILES</b> |          |
| TU 400                        | Luna     |
| TU 402                        | Tramonto |

|                                     |             |
|-------------------------------------|-------------|
| <b>NATURAL STONE LAMINATE TILES</b> |             |
| UF 406                              | Trento      |
| UF 407                              | Palermo     |
| UF 1018                             | Prato (*)   |
| UF 1019                             | Ravenna (*) |
| UF 1021                             | Rimini (*)  |



(\*) These products have been produced using class 32 technology and components. Some of the EN 13329 test methods are not fully applicable. For more information: [www.quick-step.com](http://www.quick-step.com)

\* except UF 406 and UF 407: infinite number of different tiles per decor

# COUNTRY

950 UNICLIC PATENTED TECHNOLOGY



- 1 pallet = 60 boxes = 90,42 m<sup>2</sup>/pallet = 973,278 sq.ft./pallet
- 12 different planks per decor
- decors printed in 4 colours
- max. edge swelling according to EN 13329: ≤ 8%

## Quick-Step® Country


1.5070 m<sup>2</sup> 1380 x 156 x 9,5 mm  
16.2213 sq.ft. 54<sup>11/32"</sup> x 6<sup>1/8"</sup> x 3/8"



Class 32 (EN 13329) (\*)

### LAMINATE PLANKS COUNTRY

|         |                                     |
|---------|-------------------------------------|
| U 1012  | Natural varnished oak planks        |
| U 1013  | Dark varnished oak planks           |
| U 1014  | Wild maple natural varnished planks |
| U 1015  | Wild maple amber planks             |
| U 1030  | Oak colonial planks                 |
| U 1031  | Wild maple colonial planks          |
| UF 1160 | Worn oak planks                     |



(\*) These products have been produced using class 32 technology and components. Some of the EN 13329 test methods are not fully applicable. For more information: [www.quick-step.com](http://www.quick-step.com)

# NOBLESSE

800 UNICLIC PATENTED TECHNOLOGY



- 1 pallet = 72 boxes = 70,452 m<sup>2</sup>/pallet = 758,3472 sq.ft./pallet
- 54 different planks per decor
- decors printed in 4 colours
- max. edge swelling according to EN 13329: ≤ 8%


## Quick-Step® Noblesse

0.9785 m<sup>2</sup> 451,5 x 90,3 x 8 mm  
10.5326 sq.ft. 17<sup>3/8"</sup> x 3<sup>9/16"</sup> x 5/16"



Class 32 (EN 13329)

|         |                       |
|---------|-----------------------|
| VU 946  | Natural varnished oak |
| VU 2946 | White washed oak      |



# ELEGANCE

800 UNICLIC PATENTED TECHNOLOGY



- 1 pallet = 63 boxes = 106,0038 m<sup>2</sup>/pallet = 1,141.0245 sq.ft./pallet
- per box 3 x 18 different planks per plank length
- decors printed in 4 colours
- max. edge swelling according to EN 13329: ≤ 8%

## Quick-Step® Elegance

1.1255 m<sup>2</sup> 1382 x 101,8 x 8 mm  
12.1149 sq.ft. 54<sup>13/32"</sup> x 4" x 5/16"



Class 32 (EN 13329)

0.3176 m<sup>2</sup> 780 x 101,8 x 8 mm  
3.4189 sq.ft. 30<sup>11/16"</sup> x 4" x 5/16"




Class 32 (EN 13329)

0.2394 m<sup>2</sup> 588 x 101,8 x 8 mm  
2.5769 sq.ft. 23<sup>5/32"</sup> x 4" x 5/16"

1 box = 1.6826 m<sup>2</sup> / 18.1115 sq.ft.

|          |                               |
|----------|-------------------------------|
| UF 946   | Natural varnished oak         |
| UF 947   | White varnished oak           |
| UF 948   | Dark varnished oak            |
| UF 976   | Steamed beech                 |
| UF 987   | Dark varnished cherry         |
| UF 988 E | Natural varnished maple       |
| UF 1032  | Merbau                        |
| UF 1033  | Wenge                         |
| UF 1034  | Vintage oak natural varnished |
| UF 1035  | Vintage oak dark varnished    |
| UF 2946  | White washed oak              |



# LINESSE

UNILINK NATURAL SOUND



- 1 pallet = 48 boxes = ± 96,2592 m<sup>2</sup>/pallet = 1,036.125 sq.ft./pallet
- 26 different planks per decor
- decors printed in 4 different colours
- max. edge swelling according to EN 13329: ≤ 12,5%

## Quick-Step® Linesse



2.0054 m<sup>2</sup> 1384 x 207 x 10,5 (7+3,5 mm)  
21.5861 sq.ft. 54<sup>1/2"</sup> x 8<sup>1/8"</sup> x 7/16 (9/32" + 3/16")



Class 32 (EN 13329)

### LAMINATE PLANKS

|          |                                      |
|----------|--------------------------------------|
| LUF 1238 | Grey brushed teak, strips            |
| LUF 1239 | White varnished French oak, strips   |
| LUF 1240 | Natural varnished French oak, strips |
| LUF 1241 | Grey varnished French oak, strips    |
| LUF 1242 | Black varnished French oak, strips   |
| LUF 1243 | Azelia doussie bleached, strips      |
| LUF 1244 | Natural varnished Jatoba, strips     |
| LUF 1245 | Dark varnished walnut, strips        |



The printed decors only give an impression of the real colours and nuances of the design, but are not identical to the real colour. The displays shown are just samples, but do not give an overview of all the different nuances in the design.

# PERSPECTIVE

950 UNICLIC PATENTED TECHNOLOGY



## Quick-Step® Perspective 4 - UF

1.5070 m<sup>2</sup> 1380 x 156 x 9,5 mm  
16.2213 sq.ft. 54 11/32" x 6 1/8" x 3/8"



Class 32 (EN 13329)

- 1 pallet = 60 boxes = 90,42 m<sup>2</sup>/pallet = 973.278 sq.ft./pallet
- 12 different planks per decor
- decors printed in 4 colours
- max. edge swelling according to EN 13329: ≤ 8%

## Quick-Step® Perspective - UL

1.5026 m<sup>2</sup> 1376 x 156 x 9,5 mm  
16.1740 sq.ft. 54 9/16" x 6 1/8" x 3/8"



Class 32 (EN 13329)

- 1 pallet = 60 boxes = 90,156 m<sup>2</sup>/pallet = 970.44 sq.ft./pallet
- 12 different planks per decor
- decors printed in 4 colours
- max. edge swelling according to EN 13329: ≤ 8%

## Quick-Step® Perspective Wide - WL

1.5686 m<sup>2</sup> 1376 x 190 x 9,5 mm  
16.8844 sq.ft. 54 1/16" x 7 1/2" x 3/8"



Class 32 (EN 13329)

- 1 pallet = 60 boxes = 94,116 m<sup>2</sup>/pallet = 1,013.064 sq.ft./pallet
- 12 different planks per decor
- decors printed in 4 colours
- max. edge swelling according to EN 13329: ≤ 8%

## Quick-Step® Eligna - U

1.7222 m<sup>2</sup> 1380 x 156 x 8 mm  
18.5378 sq.ft. 54 11/32" x 6 1/8" x 5/16"



Class 32 (EN 13329)

- 1 pallet = 60 boxes = 103,332 m<sup>2</sup>/pallet = 1,112.268 sq.ft./pallet
- 12 different planks per decor
- decors printed in 4 colours
- max. edge swelling according to EN 13329: ≤ 8%


# ELIGNA

800 UNICLIC PATENTED TECHNOLOGY



### LAMINATE PLANKS

|               |                |                |         |                                      |
|---------------|----------------|----------------|---------|--------------------------------------|
| U 312         | UL 312         | UF 312         | WL 814  | Old oak matt oiled planks            |
| U 860         | UL 860         | UF 860         | WL 815  | Harvest oak planks                   |
| U 861         | UL 861         | UF 861         |         | Antique oak planks                   |
| U 862         | UL 862         | UF 862         |         | Natural varnished maple planks       |
| U 864         | UL 864         | UF 864         |         | Natural varnished cherry planks      |
| U 865         | UL 865         | UF 865         |         | Dark varnished cherry planks         |
| U 866         | UL 866         | UF 866         |         | Varnished beech planks               |
| U 896         | UL 896         | UF 896         |         | Natural varnished oak planks         |
| U 915         | UL 915         | UF 915         |         | White varnished oak planks           |
|               | UL 918         | UF 918         |         | Dark varnished oak planks            |
| U 995         | UL 995         | UF 995         | WL 1046 | Vintage oak natural varnished planks |
| U 996         | UL 996         | UF 996         |         | Merbau planks                        |
| <b>U 1000</b> | <b>UL 1000</b> | <b>UF 1000</b> |         | <b>Wenge planks</b>                  |
| U 1001        | UL 1001        | UF 1001        | WL 1047 | Vintage oak dark varnished planks    |
| U 1043        | UL 1043        | UF 1043        |         | Oiled walnut planks                  |
| U 1157        | UL 1157        | UF 1157        |         | Homage oak natural oiled planks      |
| U 1158        | UL 1158        | UF 1158        |         | Homage oak dark oiled planks         |
| U 1161        | UL 1161        | UF 1161        |         | Afzelia doussie bleached planks      |
| U 1162        | UL 1162        | UF 1162        |         | Afzelia doussie oiled planks         |
| U 1163        | UL 1163        | UF 1163        |         | Grey brushed teak planks             |
| U 1177        | UL 1177        | UF 1177        |         | Cottage oak dark planks              |
| U 1184        | UL 1184        | UF 1184        |         | White ash planks                     |
| <b>U 1235</b> | <b>UL 1235</b> | <b>UF 1235</b> |         | <b>White brushed pine planks</b>     |
| <b>U 1237</b> | <b>UL 1237</b> | <b>UF 1237</b> |         | <b>Dark brushed pine planks</b>      |
| U 1896        | UL 1896        | UF 1896        |         | Limed oak planks                     |



# CLASSIC

700 UNICLIC PATENTED TECHNOLOGY



- 1 pallet = 60 boxes = 109,44 m<sup>2</sup>/pallet = 1.178,0012 sq.ft./pallet
- 5 to 10 different planks per decor
- decors printed in 3 or 4 colours
- max. edge swelling according to EN 13329: ≤ 15%

## Quick-Step® Classic


1.8240 m<sup>2</sup> 1200 x 190 x 7 mm  
19.6335 sq.ft. 47 1/4" x 7 1/2" x 9/32"



Class 32 (EN 13329)

### CLASSIC LAMINATE

|                |                                     |
|----------------|-------------------------------------|
| QST 004        | Enhanced cherry                     |
| QST 008        | Planked oak                         |
| QST 009        | Natural beech                       |
| QST 013        | Enhanced oak natural varnished      |
| QST 015        | Enhanced beech                      |
| QST 016        | Enhanced maple                      |
| QST 017        | Enhanced merbau                     |
| QST 025        | Light birch 3 plank                 |
| QST 027        | Panga double plank                  |
| <b>QST 028</b> | <b>Enhanced vintage oak white</b>   |
| <b>QST 029</b> | <b>Enhanced vintage oak natural</b> |
| <b>QST 030</b> | <b>Enhanced vintage oak dark</b>    |





## MAJESTIC

Slim planks in single plank designs, without grooves

## LAGUNE

Bathroom floor – also suitable for use in other rooms

## ARTE

Big tiles with a subtle V-groove

## QUADRA

Ceramic and natural stone tiles

## COUNTRY

Exclusive planks in a traditional style

## NOBLESSE

Small parquet planks with several floor patterns possible

## ELEGANCE

Elegant parquet planks in different lengths, separated by a subtle V-groove

## LINESSE

Fine parquet strips in different lengths, separated by a subtle V-groove

## PERSPECTIVE

Plank floor with V-groove

## ELIGNA

Plank floor without V-groove

## CLASSIC

Traditional laminate floors



### The best warranty

Stringent testing and controls guarantee the quality of Quick-Step® laminate. That's why Quick-Step® is happy to provide a 25-year\* warranty on wear for domestic use.

\* 20 years on Quick-Step® Classic (7mm). Lifetime warranty for domestic use and 5 years warranty for commercial applications for Quick-Step® Majestic.



### Blow- and impactresistant

At the heart of Quick-Step® laminate is a top-class HDF board. This is manufactured in-house according to our own standard, which surpasses the applicable EN and ISO standards. This hard core, in combination with the resistant top layer, will protect the floor against falling objects, stiletto heels, etc.



### Easy maintenance and hygienic surface

Quick-Step® floors are not only easy to clean. The perfectly joined planks also prevent dirt from lodging itself in between and under the planks. This means that Quick-Step® floors are a highly hygienic flooring option.



### A-static

Every Quick-Step® floor has undergone a unique, permanent A-static treatment. Thanks to Quick-Step® floor annoying electrostatic discharges are forever a thing of the past.



### Lifetime warranty on Uniclic® and Unilink-systems

Use the revolutionary Uniclic® and Unilink-systems to effortlessly click the planks together. The click-systems, which have been milled in the core board itself, ensure exceptional tensile strength. It is quite difficult to pull apart installed Quick-Step® planks.



### 10 year residential water warranty

Quick-Step® provides a 10 year water warranty for domestic use on the Lagune range\*.

\* This is only applicable with use of the Quick-Step® Seal&Click sealant. See warranty conditions and installation instructions.

# A HEART FOR NATURE

## > PEFC - PAN EUROPEAN FOREST CERTIFICATION

When you buy a Quick-Step® floor, you are acquiring an extremely environmentally-friendly floor. More and more often people are opting in favour of wood to build and decorate their homes. But at the same time we all want to maintain our forests. That is why forest certification has been developed: a new tool to improve the sustainable management of our forests.

Recently Quick-Step® obtained PEFC forest certification. So we pride ourselves on the fact that you can enjoy the most beautiful wood patterns without having to damage our forests.



## PRODUCT RANGE OVERVIEW

|                          |               | Class (EN 13329) | Warranty on domestic use**             | Astatic | Easy-clean | Hygienic Surface | Lifetime Uniclic® Warranty** | Lifetime Unilink Warranty** |
|--------------------------|---------------|------------------|--|---------|------------|------------------|------------------------------|-----------------------------|
| Quick-Step® Majestic     | 950 UniclicX® | 33               | Lifetime***                            | •       | •          | •                | •                            |                             |
| Quick-Step® Lagune       | 800 Uniclic®  | 32               | 25 years + 10 years water warranty**** | •       | •          | •                | •                            |                             |
| Quick-Step® Arte         | 950 Uniclic®  | 32*              | 25 years                               | •       | •          | •                | •                            |                             |
| Quick-Step® Quadra       | 800 Uniclic®  | 32*              | 25 years                               | •       | •          | •                | •                            |                             |
| Quick-Step® Country      | 950 Uniclic®  | 32*              | 25 years                               | •       | •          | •                | •                            |                             |
| Quick-Step® Noblesse®    | 800 Uniclic®  | 32               | 25 years                               | •       | •          | •                | •                            |                             |
| Quick-Step® Elegance®    | 800 Uniclic®  | 32               | 25 years                               | •       | •          | •                | •                            |                             |
| Quick-Step® Linessé      | Unilink       | 32               | 25 years                               | •       | •          | •                |                              | •                           |
| Quick-Step® Perspective® | 950 Uniclic®  | 32               | 25 years                               | •       | •          | •                | •                            |                             |
| Quick-Step® Eligna       | 800 Uniclic®  | 32               | 25 years                               | •       | •          | •                | •                            |                             |
| Quick-Step® Classic      | 700 Uniclic®  | 32               | 20 years                               | •       | •          | •                | •                            |                             |

\* Quick-Step® Arte (UF 1155, UF 1156, UF 1248), Quick-Step® Country & Quick-Step® Quadra (UF 1018, UF 1019, UF 1021): these products are manufactured with class 32 technology and raw materials. Some of the EN 13329 test methods are not fully applicable. More info on [www.quick-step.com](http://www.quick-step.com)

\*\* if the terms and conditions of the warranty are met

\*\*\* Lifetime = limited to 33 years / 5 years on commercial use

\*\*\*\* only applicable with use of the Quick-Step® Seal & Click sealant

VISIT THE PROFESSIONAL ZONE AT [WWW.QUICK-STEP.COM](http://WWW.QUICK-STEP.COM)!

The Quick-Step® website has been revamped to further enhance the surfing comfort of its hundreds of thousands of visitors.

Visit the Professional zone and discover:

- > ... the recent Quick-Step® print campaign which you can download for free and use in all of your Quick-Step® communications
- > ... a digital version of the Quick-Step® logo and the guidelines on how to use it correctly
- > ... a series of images for you to use in your Quick-Step® campaigns
- > ... an overview of all the available marketing resources so you can decorate your store attractively
- > ... an overview of Quick-Step® projects around the world
- > ...



**Register yourself as a Quick-Step® store or as a Quick-Step® installer.**

Visitors to our site can easily find a list with all Quick-Step® stores in their region.

Do you want us to send customers to your Quick-Step® store too? Register today!

Visit the Professional Zone at [www.quick-step.com](http://www.quick-step.com)